



CFR NETWORK STATEMENT - 2025

ANNEX 10 **TECHNICAL SPECIFICATIONS OF THE RADIO STATIONS ACCESING THE RADIO NETWORK OF CFR**

Validity: 15.12.2024 – 13.12.2025

Version: 14.0.0

Update: 15.12.2023



COMPANIA NATIONALA DE CAI FERATE CFR SA

Content

| | |
|---------------------------------------|----------|
| 1. General Parameters | 2 |
| 2. Sender' s Parameters | 2 |
| 3. Receiver's Parameters | 3 |
| 4. Configuration Set | 3 |
| 5. Required Documents: | 3 |
| 6. Antennas: | 3 |

1. GENERAL PARAMETERS

- Operating band: 146 – 174 MHz
- Programmable frequency synthesis
- Channel range: 12.5 kHz / 25 kHz
- Number of switchable channels: minimum 16
- Operable frequency range: minimum 14 MHz
- Working regime: Simplex and semiduplex
- Frequency stability: $\pm 0.0005\%$
- Standard equipment: CTCSS, 2-tones

2. SENDER' S PARAMETERS

- Radio frequency power in antenna – max. 5 W – portable, 10W – mobile and fixed, programmable in at least two steps
- Modulation: FM \pm Harmonic level: less than 0.25 μ W, for the frequency range of up to 1 GHz
- Signal to noise ratio: minimum 40 dB
- Audio response: 0.3 – 3 kHz, +1, -3dB
- Audio distortion: maximum 3% for 1000 Hz, deviation 60%

3. RECEIVER'S PARAMETERS

- Sensitivity: less than 6.0 dB_oV at a ratio of 20 dB SINAD
- Selectivity: 60 dB
- Attenuation of intermodulation products: minimum 65 dB
- Attenuation of image frequency: 70 dB
- Attenuation of parasitic radiations: 70 dB The configuration set includes:
- Programming kit (software, interface, handbook)
- Licence

4. CONFIGURATION SET

The configuration set includes:

- - Programming kit (software, interface, manual)
- - license

5. REQUIRED DOCUMENTS:

- Mentioning in the prospect of the compliance with the standard ETS 300 086
- Bulletins or approvals issued by acknowledged bodies
- Type approval issued by IGCTI (The General Inspectorate for Communications and IT Technology)

6. ANTENNAS:

- Type: omnidirectional, gain of minimum 3 dB – (only for fixed radio stations)
- Environmental conditions: they shall be fixed and resist to winds of V=120km/h, rain, frost, temperature range between -30^oC and +60^oC (only for fixed radio stations)
- They shall be constructively equipped with an earthing possibility (only for fixed radio stations)