


### Profil longitudinal 3 Longitudinal profile no. 3




DENUMIRE CAMIN NUMBER OF CHAMBER	P <sub>14</sub>	P <sub>15</sub>	P <sub>16</sub>	P <sub>17</sub>	P <sub>18</sub>	P <sub>19</sub>	P <sub>20</sub>	P <sub>21</sub>	P <sub>22</sub>	P <sub>23</sub>	P <sub>24</sub>	P <sub>25</sub>	P <sub>26</sub>	110N
COTA TEREN AMENAJAT APPLIANCE GROUND QUOTA	122.84	122.83	122.82	122.81	122.80	122.79	122.785	122.78	122.76	122.85	122.86	122.85	122.86	121.86
COTA CAPAC CAMIN CHAMBER COVER QUOTA	122.84	122.83	122.82	122.81	122.80	122.79	122.785	122.78	122.76	122.85	122.86	122.85	122.86	121.86
COTA BODIER CAMIN (tab) CHAMBER FOUNDATION QUOTA (tube)	121.80	121.67	121.53	121.40	121.26	121.13	121.06	120.98	120.86	121.28	121.11	121.28	121.11	121.03
ADANCIME CAMIN DEPTH OF THE CHAMBER	1.04	1.16	1.29	1.41	1.54	1.66	1.725	1.80	1.90	1.57	1.74	1.57	1.74	1.66
DISTANTA INTRE CAMINE ON THE CENTER CHAMBER DISTANCE		27 m	27 m	27 m	27 m	27 m	14 m	15 m	24 m	13 m	34 m	15 m	15 m	
DISTANTE CUMULATE LENGTH-ADDED	27	54	81	108	135	149	164	164	190	203	27	49	27	49
PANTA TUB CANALIZARE SEWAGE SLOAPE														
DIAMETRUL + MATERIAL TUB CANALIZARE DAMETER-TUBE MATERIAL	Tub PEGO, tip SN4, Ø 200 mm / COPE tube, SN4 type, Ø 200 mm													

EXECUTAREA LUCRARILOR DE MONTAJ A RETELELOR DE ALIMENTARE CU APA SI CANALIZARE SE VA FACE CU RESPECTAREA PRESCRIPTIILOR DIN CAIETELE DE SARCINI SPECIFICE ACESTOR TIPURI DE LUCRARI.

THE EXECUTION OF THE FIXING WORKS FOR WATER SUPPLY AND SEWERAGE NETWORK WILL BE CARRIED OUT ACCORDING TO THE PROVISIONS OF THE TECHNICAL SPECIFICATIONS THAT ARE INTENDED FOR THIS TYPES OF WORKS.

- \* Cerinta de calitate minima corespunzator nivelului de performanta este Is - in conformitate a lucrarilor hidrotehnice este "C" (nomiala) - in conformitate cu prevederile STAS 2473 - 1983.
- \* Minimum quality requirement adequate performance level are Is - in correspondance with G.R. 925 - 1995.
- \* Importance class for hydrotechnical works is "C" (nomial) - in correspondance with STAS 2473 - 1983 forecast.

### Profil longitudinal 4 Longitudinal profile no. 4



DENUMIRE CAMIN NUMBER OF CHAMBER	P <sub>13</sub>	P <sub>12</sub>	110N
COTA TEREN AMENAJAT APPLIANCE GROUND QUOTA	122.85	122.86	121.86
COTA CAPAC CAMIN CHAMBER COVER QUOTA	122.85	122.86	121.86
COTA BODIER CAMIN (tab) CHAMBER FOUNDATION QUOTA (tube)	121.28	121.11	121.03
ADANCIME CAMIN DEPTH OF THE CHAMBER	1.57	1.74	1.66
DISTANTA INTRE CAMINE ON THE CENTER CHAMBER DISTANCE	34 m	15 m	
DISTANTE CUMULATE LENGTH-ADDED	27	49	27
PANTA TUB CANALIZARE SEWAGE SLOAPE			
DIAMETRUL + MATERIAL TUB CANALIZARE DAMETER-TUBE MATERIAL	Tub PEGO, tip SN4, Ø 200 mm / COPE tube, SN4 type, Ø 200 mm		

NOTA / NOTE:

- \* Prezentul plan se va consulta impreuna cu planurile: PT.2A.03.02.IS.14.001.
- \* Legenda se va citi in planul: PT.2A.03.02.IS.14.001.
- \* The present design will be consult with the following drawings: PT.2A.03.02.IS.14.001/s
- \* The cartouche will be consult in the drawing no: PT.2A.03.02.IS.14.001.



Verificator / Expert  
Checker / Expert

Semnatura  
Signature

Cerinta  
Requirement

Referat / Expertiza  
Report / Expertise

European Investment Bank

MINISTERUL TRANSPORTURILOR

BENEFICIAR / BENEFICIARY :

COMPANIA NATIONALA DE CAI FERATE "CFR" SA

PROIECTANT / DESIGNER:

Approved

Verificat  
Checked

Subcontractant / Subcontractor

Approved

Proiectat  
Designed

Date  
Date

Semnatura  
Signature

01.2013

01.2013

A.M. Baicu

Fi. Duta

01.2013

01.2013

Project 9j

35311.1

Faza / Phase:

PTH+CS / TD+TS

Denumire desen / Drawing name:

Statia CFR GHIOROC. Retea exterioara de canalizare pluviala. Profile longitudinale prin canalizare 3 - 4.

GHIOROC Railway Station. Rainwater sewerage network. Longitudinal profiles no. 3 - 4.

Cod desen / Drawing Code

PT.2A.03.02.IS.14.003

Scara / Scale

Oriz - 1 : 500; Vert. - 1 : 50

Revizia / Revision

Nr / No

01/01