


NOTA / NOTE:


- \* Prezentul plan se va consulta impreuna cu planurile: PT.2A.03.06.IS.05.001, PT.2A.03.06.IS.05.002, PT.2A.03.06.IS.05.006, PT.2A.03.06.IS.07.001, PT.2A.03.06.IS.07.002, PT.2A.03.06.IS.07.007, PT.2A.03.06.IS.07.008, PT.2A.03.06.IS.07.009, PT.2A.03.06.IS.07.010, PT.2A.03.06.IS.14.001 și PT.2A.03.06.IS.14.004.
- \* Legenda se va citi in planul: PT.2A.03.06.IS.14.001.
- \* The present design will be consult with the following drawings: PT.2A.03.06.IS.05.001, PT.2A.03.06.IS.05.002, PT.2A.03.06.IS.05.005, PT.2A.03.06.IS.05.006, PT.2A.03.06.IS.07.001, PT.2A.03.06.IS.07.007, PT.2A.03.06.IS.07.008, PT.2A.03.06.IS.07.009, PT.2A.03.06.IS.07.010, PT.2A.03.06.IS.14.001 and PT.2A.03.06.IS.14.005.
- \* The cartouche will be consult in the drawing no: PT.2A.03.06.IS.14.001.




**Profil longitudinal 2**  
**Longitudinal profile no. 2**



**Profil longitudinal 3**  
**Longitudinal profile no. 3**



**Profil longitudinal 4**  
**Longitudinal profile no. 4**



DENUMIRE CAMIN NUMBER OF CHAMBER	M1	M2	M3	M4	M5	M6	M7	M8	M11	M12	M13	M14	M15
COTA TEREN AMENAJAT APPLIANCE GROUND QUOTA	130.00	130.00	130.00	130.00	129.90	130.00	130.00	130.00	130.00	130.00	130.00	130.00	130.00
COTA CAPAC CAMIN CHAMBER COVER QUOTA	130.00	128.42	130.00	128.23	129.90	130.00	128.48	130.00	128.50	128.47	128.43	128.41	128.37
COTA RADIER CAMIN (tub) CHAMBER FOUNDATION QUOTA (tube)	128.50	128.42	128.29	128.23	128.15	128.15	127.19	128.41	128.50	128.47	128.43	128.41	127.57
ADANCIME CAMIN DEPTH OF THE CHAMBER	1.50	1.58	1.71	1.77	1.70	2.84	1.52	2.81	1.50	1.53	1.57	1.59	2.43
DISTANTA INTRE CAMINE ON THE CENTER CHAMBER DISTANCE	10 m	16 m	7 m	4 m	6 m	43 m	3 m	9 m	4 m	5 m	3 m	5 m	17 m
DISTANTE CUMULATE LENGTH ADDED	0 m	10 m	26 m	33 m	37 m	43 m	46 m	55 m	59 m	64 m	67 m	72 m	89 m
PANTA TUB CANALIZARE SEWAGE SLOAPE	8 ‰												
DIAMETRU + MATERIAL TUB CANAL DIAMETER+TUBE MATERIAL	Tub PEGO, tip SN4, Ø 200 mm/ COPE tube, SN4 type, Ø 200 mm												

EXECUTAREA LUCRARILOR DE MONTAJ A RETELELOR DE ALIMENTARE CU APA SI CANALIZARE SE VA FACE CU RESPECTAREA PRESCRIPTIILOR DIN CAIETELE DE SARCINI SPECIFICE ACESTOR TIPURI DE LUCRARI.

THE EXECUTION OF THE FIXING WORKS FOR WATER SUPPLY AND SEWERAGE NETWORK WILL BE CARRIED OUT ACCORDING TO THE PROVISIONS OF THE TECHNICAL SPECIFICATIONS THAT ARE INTENDED FOR THIS TYPES OF WORKS.

- \* Cerinta de calitate minima corespunzator nivelului de performanta este Is - in conformitate cu prevederile H.G. 925 - 1995.
- \* Categoria de importanta a lucrarilor hidrotehnice este "C" (normala) - in conformitate cu prevederile STAS 2473 - 1983.
- \* Minimum quality requirement adequate performance level are Is - in accordance with G.R. 925 - 1995.
- \* Importance class for hydrotechnical works is "C" (normal) - in accordance with STAS 2473 - 1983 forecast.

Verificator / Expert Checker / Expert	Cerinta Requirement	Semnatura Signature	Referat / Expertiza Report / Expertise
		<b>MINISTERUL TRANSPORTURILOR</b>	
	<b>BENEFICIAR / BENEFICIARY :</b>		
	<b>COMPANIA NAȚIONALĂ DE CĂI FERATE "CFR" SA</b>		
<b>PROIECTANT / DESIGNER:</b>			<b>Semnatura</b> Signature
Aprobat Approved	Sef de echipa Team leader	C. Teodorescu	Data Date
Verificat Checked	Expert Cheie Key Expert		01.2013
Subcontractant / Subcontractor			01.2013
Aprobat Approved	Adjunct Sef de echipa Deputy Team leader	A.M. Baicu	01.2013
Proiectat Designed	Inginer Engineer	Fl. Duță	01.2013
"Reabilitarea liniei c.f. Frontieră - Curtici - Simeria, parte componentă a coridorului IV Pan - European pentru circulația trenurilor cu viteză maximă de 160 km/h"		<b>Project 9j</b> 35311.1	
"Rehabilitation of the Railway Line Border - Curtici - Simeria, component Part of the IV Pan - European Corridor for the Trains Circulation with maximum speed of 160 km/h"		Faza / Phase: PTH+CS / TD+TS	
"Section 2 - A: Km 614 - End Y Bărzava"			
<b>Denumire desen / Drawing name:</b>			
Statia CFR RADNA. Rețea exterioră de canalizare apă uzată menajeră. Profile longitudinale prim canalizare 2-3-4. RADNA Railway Station. Wastewater sewerage network. Longitudinal profiles no. 2 - 3 - 4.			
Scara / Scale	Revizia / Revision	Cod desen / Drawing Code	Nr / No
Oriz - 1: 500; Vert. - 1: 50		PT.2A.03.06.IS.14.005	01/01