


PLAN AMPLASARE BULOANE DE ANCORAJ

Anchor rods plane

Scara 1:50/ Scale 1:50



Bulon de ancoraj/
Anchor rod BU1
Scara/Scale 1:10

Debitare/
Cutting P104
M36x980

Debitare/
Cutting P101
82x140-8

Debitare/
Cutting P102
200x200-20

Debitare/
Cutting P103
100x100-20

Materialle/Materials:
Steel: S355N

Universal remark valid for the entire project.
The executors is bound to verify all the information from the plans and from the material lists before ordering any materials and to communicate any disparity to the designer. Other way the designer will not assume the responsibility about the errors in the plans or in the material lists.

Note generala valabila pentru intregul proiect
Executantul este obligat sa verifice informatiile din planuri si din extrasele de laminate inainte de comandarea oricaror materiale si sa comunice orice neconcordanta proiectantului. In caz contrar proiectantul nu isi va asuma responsabilitatea pentru nici o eroare din planuri sau din extrasele de materiale.

Toate sudurile nemarcate vor fi de colt si se vor realiza 0.7 tmin
All the unmarked welds will be corner welds and will have 0.7 tmin

- The adopted anticorrosive protection is an alkylid system.
- The primer will laid on surfaces prepared according too the Technical Specifications in 30-40 µm thickness.
- The intermediary layer will be 50-60 µm thickness.
- The finishing layer will be 70-85 µm thickness.
- The measurement of the dried layer thickness will be made with the elcometer.
- The result of the last measurement must be between 150-185 µm thickness.

- Sistemul de protectie anticoroziva va fi de tip alchidic.
- Gruntul se va aplica pe suprafata receptionata, conform Caietului de Sarcini, in doua straturi, masurand 30-40 µm.
- Stratul intermediar de vopsea va avea grosime de 50-60 µm.
- Stratul de finisare va avea grosime de 70-85 µm.
- Masurarea grosimilor straturilor uscate se va face cu elcometrul.
- Ultima masuratoare va trebui sa evalueze o grosime cuprinsa intre 150-185µm.

ANCHOR RODS STEEL EXTRACT

Poz	Sectiunea	Lungime	Buc/ elem	Nr. elem total	Buc total	G/ml	G/buc	G/elem	G total	Calitate
P101	Tg 8 x 82	140	4	24	96	5.15	0.72	2.88	69.2106	S355N
P102	Tg 20 x 200	200	1	24	24	31.40	6.28	6.28	150.72	S355N
P103	Tg 20 x 100	100	1	24	24	15.70	1.57	1.57	37.68	S355N
P104	M36	980	1	24	24	7.99	7.83	7.83	187.925	S355N
P105	piulita IP-M36 STAS 8796/2-77 gr.6		2	24	48	0.37	0.37	0.74	17.71	S355N
Tg = tabla groasa								19.30	463.25	
								electrozi	6.95	
								grund	1.88	
								TOTAL	472.08	kg

Acest plan anuleaza si inlocuieste planul nr. PT.02.04.10.RE.05.006 elaborat la data 01.2013.
This layout plan canceled and replaced layout plan no. PT.02.04.10.RE.05.006 prepared on 01.2013.

CLASA DE IMPORTANTA A CONSTRUCTIEI CONFORM P100/1-2006 ESTE (III)
CATEGORIA DE IMPORTANTA CONFORM HG nr. 766/97 este (C)

THE CONSTRUCTION IMPORTANCE CLASS, ACCORDING TO P 100/1-2006, IS (III)
THE IMPORTANCE CATEGORY, ACCORDING TO HG 766/97 IS "C"

Verificator / Expert Checker / Expert	Semnatura Signature	Referat / Expertiza Report / Expertise

MINISTERUL TRANSPORTURILOR	Referat / Expertiza Report / Expertise
BENEFICIAR / BENEFICIARY : 	
COMPANIA NAȚIONALĂ DE CĂI FERATE "CFR" SA	

PROIECTANT / DESIGNER:			
Aprobat Approved	Sef de echipa Team leader	C. Teodorescu	01.2013
Verificat Checked	Expert Cheie Key Expert	R. Witan	01.2013

Subcontractant / Subcontractor			
Aprobat Approved	Adjunct Sef de echipa Deputy Team leader	A.M. Baicu	01.2013
Proiectat Designed	Inginer Engineer	G. Pațilea	01.2013

"Reabilitarea liniei c.f. Frontieră - Curtici - Simeria, parte componentă a coridorului IV Pan - European pentru circulația trenurilor cu viteză maximă de 160 km/h"	Project 9i 35311.1
"Rehabilitation of the Railway Line Border - Curtici - Simeria, component Part of the IV Pan - European Corridor for the Trains Circulation with maximum speed of 160 km/h"	Faza / Phase: PTH+CS / TD+TS

Denumire desen / Drawing name: Copertină ax A' - Plan amplasare buloane de ancoraj - Stația Bărzava Canopy ax A' - Anchor rods plan - Bărzava Station	
---	--

Scara / Scale 1:10; 1:50	Revizia / Revision 1/05.2013	Cod desen / Drawing Code PT.2B.04.10.RE.05.006	Nr / No 06 /09
-----------------------------	---------------------------------	---	-------------------