



Profil longitudinal 3 Longitudinal profile no. 3



DENUMIRE CAMIN NUMBER OF CHAMBER	P ₁₂	P ₁₃	P ₁₄	P ₁₅	P ₁₆	P ₁₇	P ₁₈	P ₁₉	P ₂₀	P ₂₁	P _{24N}
COTA TEREN AMENAJAT APPLIANCE GROUND QUOTA	160.21	160.25	160.29	160.32	160.36	160.40	160.44	160.46	160.52	159.80	234N
COTA CAPAC CAMIN CHAMBER COVER QUOTA	160.21	160.25	160.29	160.32	160.36	160.40	160.44	160.46	160.52	159.80	159.30
COTA RADIER CAMIN (tub) CHAMBER FOUNDATION QUOTA (tube)	159.64	159.50	159.37	159.24	159.10	158.97	158.83	158.76	158.56	157.72	158.00
ADANCIME CAMIN DEPTH OF THE CHAMBER	0.57	0.75	0.92	1.08	1.26	1.43	1.61	1.70	1.96	2.08	1.58
DISTANTA INTRE CAMINE ON THE CENTER CHAMBER DISTANCE	27 m	27 m	27 m	27 m	27 m	27 m	27 m	14 m	41 m	10 m	11 m
DISTANTE CUMULATE LENGTH ADDED	27 m	54 m	81 m	108 m	135 m	162 m	176 m	217 m	227 m	11 m	11 m
PANTA TUB CANALIZARE SEWAGE SLOAPE	5 ‰										
DIMETRIU + MATERIAL TUB CANAL DIAMETER+TUBE MATERIAL	Tub PEGO, tip SN4, Ø 200 mm / COPE tube, SN4 type, Ø 200 mm										

Profil longitudinal 4 Longitudinal profile no. 4



DENUMIRE CAMIN NUMBER OF CHAMBER	P ₁	P ₂	P ₃	P ₄	P ₅	P ₆	P ₇	P ₈	P ₉	P ₁₀	P ₁₁	P ₁₂	P ₁₃	P ₁₄	P ₁₅	P ₁₆	P ₁₇	P ₁₈	P ₁₉	P ₂₀	P ₂₁	P _{24N}		
COTA TEREN AMENAJAT APPLIANCE GROUND QUOTA	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	234N	
COTA CAPAC CAMIN CHAMBER COVER QUOTA	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	160.06	159.30
COTA RADIER CAMIN (tub) CHAMBER FOUNDATION QUOTA (tube)	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.11	158.00
ADANCIME CAMIN DEPTH OF THE CHAMBER	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.95	1.58
DISTANTA INTRE CAMINE ON THE CENTER CHAMBER DISTANCE	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m	11 m
DISTANTE CUMULATE LENGTH ADDED	0	11 m	22 m	33 m	44 m	55 m	66 m	77 m	88 m	99 m	110 m	121 m	132 m	143 m	154 m	165 m	176 m	187 m	198 m	209 m	220 m	231 m	242 m	253 m
PANTA TUB CANALIZARE SEWAGE SLOAPE	1 ‰																							
DIMETRIU + MATERIAL TUB CANAL DIAMETER+TUBE MATERIAL	Tub PEGO, tip SN4, Ø 200 mm / COPE tube, SN4 type, Ø 200 mm																							

EXECUTAREA LUCRARILOR DE MONTAJ A RETELELOR DE ALIMENTARE CU APA SI CANALIZARE SE VA FACE CU RESPECTAREA PRESCRIPTIILOR DIN CAIELELE DE SARCINI SPECIFICE ACESTOR TIPURI DE LUCRARI.

THE EXECUTION OF THE FIXING WORKS FOR WATER SUPPLY AND SEWERAGE NETWORK WILL BE CARRIED OUT ACCORDING TO THE PROVISIONS OF THE TECHNICAL SPECIFICATIONS THAT ARE INTENDED FOR THIS TYPES OF WORKS.

- * Cerința de calitate minima corespunzator nivelului de performanța este Is - in conformitate cu prevederile H.G. 925 - 1995.
- * Categoria de importanta a lucrarilor hidrotehnice este "C" (normala) - in conformitate cu prevederile STAS 2473 - 1983.
- * Minimum quality requirement adequate performance level are Is - in correspondance with G.R. 925 - 1995.
- * Importance class for hydrotechnical works is "C" (normal) - in correspondance with STAS 2473 - 1983 forecast.

NOTA / NOTE:
 * Prezentul plan se va consulta impreuna cu planurile: PT.2C.04.16.IS.14.001 și PT.2C.04.16.IS.14.002
 * Legenda se va citi in planul: PT.2C.04.16.IS.14.001.
 * The present design will be consult with the following drawings: PT.2 C.04.16.IS.14.001 and PT.2C.04.16.IS.14.002.
 * The cartouche will be consult in the drawing no: PT.2C.04.16.IS.14.001.

Verificator / Expert Checker / Expert	Cerinta Requirement	Semnatura Signature	Referat / Expertiza Report / Expertise
BENEFICIAR / BENEFICIARY : 		COMPANIA NATIONALA DE CAI FERATE "CFR" SA	

PROIECTANT / DESIGNER:

Aprobat Approved	Sef de echipa Team leader	C. Teodorescu	Data Date	01.2013	Semnatura Signature	
Verificat Checked	Expert Cheile Key Expert	B. Goessler		01.2013		

Subcontractant / Subcontractor

Aprobat Approved	Adjunct Sef de echipa Deputy Team leader	A.M. Baicu	Data Date	01.2013	Semnatura Signature	
Proiectat Designed	Inginer Engineer	Fi. Duta		01.2013		

"Reabilitarea liniei c.f. Frontier ă - Curtici - Simeria, parte componentă a coridorului IV Pan - European pentru circulația trenurilor cu viteză maximă de 160 km/h"		Project 9i 35311.1
"Rehabilitation of the Railway Line: Border - Curtici - Simeria component Part of the IV Pan - European Corridor for the Trains Circulation with maximum speed of 160 km/h"		Faza / Phase: PTH+CS / TD+TS
Denumire desen / Drawing name: Statia CFR ILTEU. Retea exterioara de canalizare pluviala. Profile longitudinale prin canalizare 3 - 4. ILTEU Railway Station. Rainwater sewerage network. Longitudinal profiles no. 3 - 4.		

Scara / Scale	Revizia / Revision	Cod desen / Drawing Code	Nr / No
Oriz - 1: 500; Vert. - 1: 50		PT.2C.04.16.IS.14.003	01/01