



Profil longitudinal 3



Profil longitudinal 4



DENUMIRE CAMIN NUMBER OF CHAMBER	P ₂₇	P ₂₈	P ₂₉	P ₃₀	P ₃₁	P ₃₂	P ₃₃	P ₃₄	45N
COTA TEREN ALENVART APPLIANCE GROUND QUOTA	177.33	177.33	177.33	177.33	177.33	177.33	177.33	177.33	175.99
COTA CAPAC CAMIN CHAMBER COVER QUOTA	177.33	177.33	177.33	177.33	177.33	177.33	177.33	177.33	175.99
COTA ROBIER CAMIN (IN) CHAMBER FOUNDATION QUOTA (IN)	176.45	176.21	175.94	175.82	175.79	175.72	175.63	175.42	174.27
ADNOCIME CAMIN DEPTH OF THE CHAMBER	0.88	1.13	1.39	1.81	1.54	1.61	1.70	1.91	1.25
DISTANTA INTRE CAMINE ON THE CENTER CHAMBER DISTANCE		27 m	27 m	37 m	27 m	14 m	19 m	41 m	16 m
DISTANTA CUMULATE LENGTH ADDED	0	22 m	49 m	86 m	113 m	127 m	146 m	187 m	203 m
PANTA TUB CANALIZARE SEWAGE SLOPE	5 ‰								
DIAMETRU + MATERIA TUB CANALU CHAMBER/TUBE MATERIAL	Tub PEGO, tip SN4, Ø 200 mm/ COPE tube, SN4 type, Ø 200 mm								

DENUMIRE CAMIN NUMBER OF CHAMBER	P ₂₈	P ₂₉	P ₃₀	P ₃₁	P ₃₂	P ₃₃	P ₃₄	45N
COTA TEREN ALENVART APPLIANCE GROUND QUOTA	177.33	177.33	177.33	177.33	177.33	177.33	177.33	175.99
COTA CAPAC CAMIN CHAMBER COVER QUOTA	177.33	177.33	177.33	177.33	177.33	177.33	177.33	175.99
COTA ROBIER CAMIN (IN) CHAMBER FOUNDATION QUOTA (IN)	176.20	176.08	175.95	175.79	175.72	175.63	175.42	174.27
ADNOCIME CAMIN DEPTH OF THE CHAMBER	1.13	1.25	1.38	1.54	1.61	1.70	1.91	1.25
DISTANTA INTRE CAMINE ON THE CENTER CHAMBER DISTANCE		22 m	27 m	32 m	14 m	19 m	41 m	16 m
DISTANTA CUMULATE LENGTH ADDED	0	22 m	49 m	80 m	94 m	113 m	154 m	170 m
PANTA TUB CANALIZARE SEWAGE SLOPE	5 ‰							
DIAMETRU + MATERIA TUB CANALU CHAMBER/TUBE MATERIAL	Tub PEGO, tip SN4, Ø 200 mm/ COPE tube, SN4 type, Ø 200 mm							



Verificator/ Expert
Checker/ Expert

Coariful/ Requirement

Semnatura/ Signature

Referat/ Expertiză
Report/ Expertise

European Investment Bank

MINISTERUL TRANSPORTURILOR

BENEFICIAR / BENEFICIARY:

CFR

COMPANIA NAȚIONALĂ DE CĂLĂRĂTE "CFR" SA

PROIECTANT / DESIGNER:

PROIECTANT / DESIGNER:

Seif de echipa
Team leader

Expert Cheie
Key Expert

C. Teodorescu

B. Goessler

A.M. Baicu

Fl. Duta

VIOTOP

01.2013

01.2013

01.2013

01.2013

01.2013

01.2013

01.2013

01.2013

01.2013

01.2013

Subcontractant / Subcontractor

Adjunct Seif de echipa
Deputy Team leader

Protectant
Protectant

Designat
Designer

A.M. Baicu

Fl. Duta

"Reabilitarea liniei c.f. Frontieră - Curtici - Simeria, parte componentă a Coridorului IV Pan - European pentru circulația trenurilor cu viteză maximă de 160 km/h"

Tronsoanel 3: Gurasada - Simeria/LOT 3

Section 3: Gurasada - Simeria/ LOT 3

Project 9/ 353711.1

Faza / Phase:
PTH +CS / TD + TS

Denumire desen / Drawing Title :

Stalia CFR ILIA. Relea exterioara de canalizare pluviala. Profile longitudinale prin canalizare 3 - 4.

ILIA Railway Station. Rainwater sewerage network. Longitudinal profiles no. 3 - 4.

Scara / Scale

Revizii/Revision

Cod desen / Drawing Code

Oriz - 1 : 500; Vert. - 1 : 50

PT.03.03.22.IS.14.003, PT.03.03.22.IS.14.001, PT.03.03.22.IS.14.002, PT.03.03.22.IS.14.004, si PT.03.03.22.IS.14.005.

PT.03.03.22.IS.14.003, PT.03.03.22.IS.14.001, PT.03.03.22.IS.14.003, PT.03.03.22.IS.14.001, PT.03.03.22.IS.05.001, PT.03.03.22.IS.01.003, PT.03.03.22.IS.14.001, PT.03.03.22.IS.14.002, PT.03.03.22.IS.14.004, and PT.03.03.22.IS.14.005.

PT.03.03.22.IS.14.001.

PT.03.03.22.IS.14.002, PT.03.03.22.IS.14.004, and PT.03.03.22.IS.14.005.

PT.03.03.22.IS.14.001.

NOTA / NOTE:

* Prezentul plan se va consulta impreuna cu planurile: PT.03.03.22.IS.05.001, PT.03.03.22.IS.01.003, PT.03.03.22.IS.14.001, PT.03.03.22.IS.14.002, PT.03.03.22.IS.14.004, si PT.03.03.22.IS.14.005.

* Legenda se va citi in planul: PT.03.03.22.IS.14.001.

*The present design will be consult with the following drawings: PT.03.03.22.IS.05.001, PT.03.03.22.IS.01.003, PT.03.03.22.IS.14.001, PT.03.03.22.IS.14.002, PT.03.03.22.IS.14.004, and PT.03.03.22.IS.14.005.

* The cartouche will be consult in the drawing no: PT.03.03.22.IS.14.001.

EXECUTAREA LUCRARILOR DE MONTAJ A REȚELELOR DE ALIMENTARE CU APA SI CANALIZARE SE VA FACE CU RESPECTAREA PRESCRIPTIILOR DIN CAIETELE DE SARCINI SPECIFICE ACESTOR TIPURI DE LUCRARI.

THE EXECUTION OF THE FIXING WORKS FOR WATER SUPPLY AND SEWERAGE NETWORK WILL BE CARRIED OUT ACCORDING TO THE PROVISIONS OF THE TECHNICAL SPECIFICATIONS THAT ARE INTENDED FOR THIS TYPES OF WORKS.

* Cerinta de calitate minima corespunzator nivelului de performanta este Is - in conformitate cu prevederile H.G. 925 - 1995.

* Categoria de importanta a lucrurilor hidrotehnice este "C" (normala) - in conformitate cu prevederile STAS 2473 - 1983.

* Minimum quality requirement adequate performance level are Is - in correspondance with G.R. 925 - 1995.

* Importance class for hydrotechnical works is "C" (normal) - in correspondance with STAS 2473 - 1983 forecast.