


Profil longitudinal 1 Longitudinal profile no. 1

Profil longitudinal 2 Longitudinal profile no. 2



	M17	M6	M5	M4	M3	CR02	M2	M1
DENUMIRE CAMIN								
NUMBER OF CHAMBER								
COTA TEREN AMENAJAT	198.30	198.25	198.25	198.20	198.20	198.20	198.20	198.20
APPLIANCE GROUND QUOTA								
COTA CAPAC CAMIN	198.30	198.25	198.25	198.20	198.20	198.20	198.20	198.20
CHAMBER COVER QUOTA								
COTA RADIER CAMIN (tub)	197.20	197.04	196.99	196.70	196.65	196.62	197.00	196.81
CHAMBER FOUNDATION QUOTA (tube)								
ADANCIME CAMIN	1.10	1.21	1.26	1.50	1.55	1.86	1.20	1.55
DEPTH OF THE CHAMBER								
DISTANTA INTRE CAMINE		20 m	6 m	6 m	3 m	3 m	24 m	
ON THE CENTER CHAMBER DISTANCE								
DISTANTE CUMULATE	0	20	26	62	68	71	0	24
LENGTH ADDED								
PANTA TUB CANALIZARE	$i = 8 \%$							
SEWAGE SLOPE	$i = 8 \%$							
MATERIAL TUB CANAL	Tub PEGO, tip SN4, Ø 200 mm/							
DIAMETER+TUBE MATERIAL	COPE tube, SN4 type, Ø 200 mm							

EXECUTAREA LUCRARILOR DE MONTAJ A RETELOR DE ALIMENTARE CU APA SI CANALIZARE SE VA FACE CU RESPECTAREA PRESCRIPTIILOR DIN CAIETELE DE SARCINI SPECIFICE ACESTOR TIPURI DE LUCRARI.

THE EXECUTION OF THE FIXING WORKS FOR WATER SUPPLY AND SEWERAGE NETWORK WILL BE CARRIED OUT ACCORDING TO THE PROVISIONS OF THE TECHNICAL SPECIFICATIONS THAT ARE INTENDED FOR THIS TYPES OF WORKS.

- * Cerinta de calitate minima corespunzator nivelului de performanta este **Is** - in conformitate cu prevederile H.G. 925 - 1995.
- * Categoria de importanta a lucrarilor hidrotehnice este "**C**" (normala) - in conformitate cu prevederile STAS 2473 - 1983.
- * Minimum quality requirement adequate performance level are **Is** - in correspondance with G.R. 925 - 1995.
- * Importance class for hydrotechnical works is "**C**" (normal) - in correspondance with STAS 2473 - 1983 forecast.

NOTA /NOTE:

- * Prezentul plan se va consulta impreuna cu planurile: PT.03.03.28.IS.05.001, PT.03.03.28.IS.14.001, PT.03.03.28.IS.14.002, PT.03.03.28.IS.14.003, PT.03.03.28.IS.14.004 si PT.03.03.28.IS.14.00 5.
- * Legenda se va citi in planul: PT.03.03.28.IS.14.001.
- *The present design will be consult with the following drawings:
PT.03.03.28.IS.07.001, PT.03.03.28.IS.14.001, PT.03.03.28.IS.14.002, PT.03.03.28.IS.14.003, PT.03.03.28.IS.14.004 and PT.03.03.28.IS.14.00 5.
- * The cartouche will be consult in the drawing no: PT.03.03.28.IS.14.001.



Verificator/ Expert Checker/ Expert	Cerinta/ Requirement	Semnatura/ Signature	Referat/ Expertiză Report/ Expertise
European Investment Bank	MINISTERUL TRANSPORTURILOR		
	BENEFICIAR / BENEFICIARY : COMPANIA NAȚIONALĂ DE CĂI FERATE "CFR" SA		
PROIECTANT / DESIGNER:			
Aprobat Approved	Sef de echipa Team leader	C. Teodorescu	01.2013
Verificat Checked	Expert Cheie Key Expert	B. Goessler	01.2013
Subcontractant / Subcontractor			
Aprobat Approved	Adjunct Sef de echipa Deputy Team leader	A.M. Baicu	01.2013
Proiectat Designed	Proiectant Designer	Fl. Duta	01.2013
"Reabilitarea liniei c.f. Frontieră - Curtici - Simeria, parte componentă a Coridorului IV Pan - European pentru circulația trenurilor cu viteză maximă de 160 km/h" Tronsoanel 3: Gurasada - Simeria/ LOT 3			
"Rehabilitation of the Railway Line Border - Curtici - Simeria, component Part of the IV Pan - European Corridor for the Trains Circulation with maximum speed of 160 km/h" Section 3: Gurasada - Simeria/ LOT 3			
Denumire desen / Drawing Title : Statia CFR SIMERIA. Retea exteriora de canalizare apa uzata menajera. Profile longitudinale prin canalizare 1 - 2./ SIMERIA Railway Station. Wastewater sewerage network. Longitudinal profiles no. 1 - 2.			
Scara / Scale Oriz - 1 : 500; Vert. - 1 : 50	Revizia/Revision	Cod desen / Drawing Code PT.03.03.28.IS.14.006	Nr / No



Semnatura
Signature

Project 9/
35311.1

Faza / Phase:
PTh +CS / TD + TS