

CLASA DE IMPORTANTA A CONSTRUCTIEI CONFORM P100/1-2006 ESTE (III)
 CATEGORIA DE IMPORTANTA CONFORM HG nr. 768/97 este (C)
 THE CONSTRUCTION IMPORTANCE CLASS, ACCORDING TO P.100/1-2006, IS (III)
 THE IMPORTANCE CATEGORY, ACCORDING TO HG 768/97 IS "C"

Acest plan anuleaza si inlocuieste planul nr. PT.03.03.26.RE.07.013 elaborat la data 01.2013.

This layout plan canceled and replaced layout plan no. PT.03.03.26.RE.07.013 prepared on 01.2013.



Nr.	Diam	Lungime	Buc.	Bst 500				
				6	8	10	12	14
1	8	1.28	178	227.84			220.32	
2	12	220.32	1	231.40			428.24	
3	8	1.30	178	292.16			273.28	
4	12	4.44	98	286.70			464.64	
5	8	3.32	88	238.05			451.20	
6	12	4.48	61	238.05			54.96	
7	12	4.70	61	50.16				
8	12	5.28	88				42.48	
9	12	2.35	192				45.98	
10	10	0.69	345					
11	10	2.29	24					
12	10	2.09	24					
13	12	1.99	22					
14	12	2.09	22					
15	12	2.09	22					
LUNGIMII/diam				0.0	751.4	343.2	2210.8	0.0
Greutati Diam/ml				0.222	0.394	0.616	0.887	1.208
Greutati Kg/diam				0.0	296.3	211.5	1961.8	0.0
TOTAL pe tip otel				2469.6				
TOTAL GENERAL				2469.6				

Materiale: Beton de egalizare C8/10, CEM IIIA-S 32.5N, sort 0-31; A,C0.75; Beton armat C 20/25 CEM IIIA-S 42.5N, sort 0-16; A,C0.30; Armatura: BST 500; Clasa de expunere pentru fundatii: XC2 Toate tipurile de otel (In special: Bst-500) Voi a avea obligatoriu clasa de ductilitate C.

Materiale: Egalizare concrete C8/10, CEM IIIA-S 32.5N, sort 0-31; A,C0.75; Reinforcement concrete C20/25 CEM IIIA-S 42.5N, sort 0-16; A,C0.30; Reinforcement: BST 500 (Class of ductility C) Exposure class for foundations: XC2. All types of steel (especially Bst 500) will mandatory have the ductility class C.

Universal remark valid for the entire project.
 The executants is bound to verify all the information from the plans and from the material lists before ordering any materials and to communicate any discrepancy or error to the responsible party. The executants will not assume the responsibility about the errors in the plans or in the material lists.

Note generala valabila pentru intregul proiect.
 Executantul este obligat sa verifice informatiile din planuri si din extrasele inainte de comandarea oricaror materiale sau componente. In caz de eroare sau de incompatibilitate, contrar proiectantului nu sa va asuma raspundabilitatea pentru nici o eroare din planuri sau din extrasele de materiale.

PROIECTANT / DESIGNER: **PÖYRY** C. Teodorescu
 Date: 01.2013

SEF DE ECHEPIA / TEAM LEADER: R. Witan
 VERIFICAT / CHECKED: 01.2013

SUBCONTRACTANT / SUBCONTRACTOR: **VIOTOP**
 ADJUNCT SEF DE ECHEPIA / DEPUTY TEAM LEADER: A.M. Baicu
 PROIECTANT DESIGNED: G. Paştilea
 DATE: 01.2013

SEMNTURA / SIGNATURE: *[Signature]*

Referat / Expertiza Report / Expertise:

Referent / Expert / Verifier / Check:

BENEFICIAR / BENEFICIARY: COMPANIA NATIONALA DE CAI FERATE "CFR" SA

Faza / Phase: Project 9j 35311.1
 PTH+CS / TD+TS

Denumire desen / Drawing name: Atelier auto - Sectiuni fundatii - Staija Deva
 Garage - Foundation sections - Deva Station

Scara / Scale: 1:10; 1:50
 Revizia / Revision: 1/05.2013
 Cod desen / Drawing Code: PT.03.03.26.RE.07.013
 Nr / No: 13/15